

AMENDED NO. 62152
**APPLICATION FOR PERMISSION TO CHANGE POINT OF
DIVERSION, MANNER OF USE AND PLACE OF USE OF THE
PUBLIC WATERS OF THE STATE OF NEVADA
HERETOFORE APPROPRIATED**

Date of filing in State Engineer's Office MAY 20 1996

Returned to applicant for correction JUN 21 1996

Corrected application filed _____

Map filed JULY 11 1996

The applicant **Eureka County** hereby make application for permission to change the **Point of Diversion, Place of Use and Manner of Use** of a portion of water heretofore appropriated under Certificate No. 6259, Permit 20479

1. The source of water is **Underground**
2. The amount of water to be changed **0.11 cfs, not to exceed 10 Acre-ft (3.26 MGA)**
3. The water to be used for **Quasi-municipal**
4. The water heretofore permitted for **Irrigation and Domestic**
5. The water is to be diverted at the following point within the **NW 1/4 NE 1/4 Sec. 16, T20N., R53., M.D.B.&M.** or at a point from which the **NE Corner** of said Sec. 16 bears **N, 69° 30' 00" E.**, a distance of **1920.0 feet.**
6. The existing permitted point of diversion is located within **NE 1/4 NW 1/4 Sec. 10, T20N, R53E., M.D.B.&M.** or at a point from which the **N 1/4 Corner** of said Sec. 10 bears **N. 45° 00' E.**, a distance of **1817.0 feet.**
7. Proposed place of use **All of the SE 1/4; E 1/2 NE 1/4 NE 1/4; SE 1/4 NE 1/4 and portions of NW 1/4 SW 1/4, NE 1/4 SW 1/4 and SE 1/4 SW 1/4, Sec. 9; W 1/2 Sec. 10; E 1/2 E 1/2, NW 1/4 NE 1/4, and portions of NE 1/4 NW 1/4, SW 1/4 NE 1/4 NW 1/4 SE 1/4, and SW 1/4 SE 1/4 Sec. 16, T.20N, R53E, M.D.B.&M., as shown on map.**
8. Existing place of use **50 acres within the SE 1/4 NW 1/4 and the E 1/2 E 1/2 SW 1/4 NW 1/4 Sec. 10, T20N., R53E, M.D.B.&M. 2.5 acres within the Southerly 330 feet of E 1/2 E 1/2 SW 1/4 NW 1/4 will be removed from irrigation**
9. Use will be from **January 1 to December 31** of each year.
10. Use was permitted from **January 1 to December 31** of each year.
11. Description of proposed works **Drilled well, pump, motor, storage tank and distribution system to proposed airport buildings.**
12. Estimated cost of works **\$75,000**
13. Estimated time required to construct works **1 year**
14. Estimated time required to complete the application of water to beneficial use **10 years**
15. Remarks: **Intended Use is Water Supply for Airport Buildings and Grounds.**

s/Georgia Turner
By **Georgia Turner, Agent for
Eureka County
Lumos & Associates/800 E.
College Parkway
Carson City, NV. 89706**

62152

Compared By lew/gkl

Protested _____

_____ OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions: